

PLAN SYMBOLS LEGEND

- SEMI-RECESSED FIRE EXTINGUISHER AND CABINET. FIRE EXTINGUISHERS TO BE 2A-10B-C RATED (MINIMUM) NFPA 10-3.2.1
- 2 HOUR SEPARATION EQUAL TO UL301 UL DETAIL SHEET CS3

KEYED CONSTRUCTION NOTES

- (01) 24" X24" MOP SINK - SEE PLUMB. DWG'S PROVIDE S.S. SHELF W/ MOP HOLDERS EQUAL TO "AMERICAN SPECIALTIES" NO. 1308-3
- (02) FURNITURE IS N.I.C.
- (03) CORIAN COUNTER TOP W/ BASE CABINETS BELOW - SEE ELEV. A9-02 AND DETAIL A9-03. EXTEND SOLID SURFACE TOP 1/2" BEYOND OUTSIDE FINISHED FACE OF WALL.
- (04) PASS THRU OPENING 4'-0" W X 5'-6" H. INSTALL CORNER GUARDS - 4'-0" HIGH, "IPC" OR EQUAL - COLOR: CLEAR
- (05) 4'-0" HIGH CORNER GUARDS - "IPC" OR EQUAL - COLOR: CLEAR
- (06) 2 HOUR BUSINESS SAFE 'MESA SAFE' MODEL MFS170DDC. POUR THICKENED SLAB AT PROPOSED SAFE LOCATION SEE STRUCT. DWGS.

GENERAL NOTES:

1. ALL DIMENSIONS ARE SHOWN TO FACE OF STUD OR FACE OF MASONRY.
2. STUD WALL THICKNESSES ARE SHOWN ON PLAN
3. ALL STUD WALLS AND GYP. BD. SHALL EXTEND UP TO THE BOTTOM CHORD OF THE TRUSSES (10'-0" AFF) FILL CAVITY W/ SOUND ATTENUATION INSUL. FULL HT. FLOOR UP TO BOTTOM CHORD OF TRUSS - EXCEPTION: NO SOUND ATTENUATION INSUL. REQ'D. IN WARMING KITCHEN WALLS.

NEW TOWN HALL FOR:
VILLAGE OF ST. HELENA
EAST MAIN STREET
ST. HELENA, N.C.


Project Reference Numbers

Architect's Project No. 180009
Drawn By: JGM

REVISIONS

DATES	
PHASE	ISSUED
PERMIT	05/15/2018

FLOOR PLAN
SHEET NUMBER



FLOOR
plan
SCALE: 3/16"= 1'-0"

01

A1